

1. IDENTIFICATION

Product Identifier

KELPIE® PROMIX 550 GLY HERBICIDE

Recommended Use of the Chemical and Restrictions on Use

Glyphosate herbicide.

Details of Manufacturer or Importer

SINOCHEM INTERNATIONAL AUSTRALIA PTY LTD

ABN: 74 160 164 616

Level 8 / 606 St Kilda Road

Melbourne, Victoria, 3004

Australia

Tel: +61 3 9520 8888

Emergency Telephone:

Australia: 1800 033 111

2. HAZARDS IDENTIFICATION

Classified as Class 9 Miscellaneous Dangerous Goods (UN 3077 or UN 3082, Environmentally Hazardous Substance) by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in packagings, IBC's, or any other receptacle not exceeding 500 kg(L).

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Carcinogenicity - Category 2

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Acute Aquatic Toxicity - Category 2

Chronic Aquatic Toxicity - Category 2

SIGNAL WORD: WARNING



Hazard Statement(s):

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention:

- P103 Read label before use.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P273 Avoid release to the environment.
- P281 Use personal protective equipment as required.

Response:

- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P391 Collect spillage.

Storage:

- P405 Store locked up.

Disposal:

- P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

Poisons Schedule (SUSMP): S5 Caution.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Product Description:

- 30-60% Glyphosate-potassium (CAS number 39600-42-5) and glyphosate-monoethanolamine (CAS number 40465-76-7)
- 10-30% Tallowamine, ethoxylated
- <2.5% Diethylene glycol
- Non-hazardous components, to 100%

4. FIRST-AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact:

If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

Eye Contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Never give anything by the mouth to an unconscious patient. Seek medical advice.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Not combustible, however, if material is involved in a fire use: Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Hazchem or Emergency Action Code: · 3Z**Specific hazards arising from the chemical:**

Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes, including those of oxides of carbon, oxides of nitrogen. Environmentally hazardous.

Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Equipment should be thoroughly decontaminated after use.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/Environmental precautions:

Clear area of all unprotected personnel. Do not allow container or product to get into drains, sewers, streams or ponds. If contamination of sewers or waterways has occurred advise local emergency services.

Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. After cleaning, flush away any residual traces with water. Recover the cleaning water for subsequent disposal.

7. HANDLING AND STORAGE

This material is a Scheduled Poison S5 and must be stored, maintained and used in accordance with the relevant regulations.

Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour, mists and aerosols. When using do not eat, drink or smoke. Keep out of reach of children. Wash hands thoroughly after handling. Thoroughly clean equipment after use. Launder contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities:

Store in the closed, original container in a well-ventilated area, as cool as possible and away from children, animals, food, feedstuffs, seed and fertilisers. Do not store for prolonged periods in direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control Parameters: No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

2,2'-Oxybis(ethanol); (Diethylene glycol): 8hr TWA = 100 mg/m³ (23 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Purple
Odour:	Slight Amine
Solubility:	Miscible with water.
Specific Gravity:	1.33 @20°C
Relative Vapour Density (air=1):	<1
Vapour Pressure (20 °C):	Not available
Flash Point (°C):	Not applicable
Flammability Limits (%):	Not available
Autoignition Temperature (°C):	Not available
Boiling Point/Range (°C):	ca. 100
Decomposition Point (°C):	Not available
pH:	4-7

10. STABILITY AND REACTIVITY

Reactivity:	No information available.
Chemical stability:	Stable under normal conditions of use.
Possibility of hazardous reactions:	None known.
Conditions to avoid:	Avoid elevated temperatures.
Incompatible materials:	Incompatible with strong alkalis .
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	Swallowing may result in nausea, vomiting, diarrhoea, gastrointestinal irritation.
Eye contact:	May be an eye irritant.
Skin contact:	Contact with skin may result in irritation.
Inhalation:	Breathing in vapour may produce respiratory irritation.
Acute toxicity:	Average Toxicity Estimate (ATE mix, oral): >2,000 mg/kg Average Toxicity Estimate (ATE mix, dermal): >2,000 mg/kg Average Toxicity Estimate (ATE mix, inhalation-vapour): >20 mg/L

Respiratory or skin sensitisation:

Not a respiratory sensitiser. Not a skin sensitiser.

Chronic effects:

Glyphosate has been classified by the International Agency for Research on Cancer (IARC) as a Group 2A carcinogen. Group 2A - The agent is probably carcinogenic to humans.

Aspiration hazard:

Not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Avoid contaminating waterways.

Persistence/degradability:

No information available.

Bioaccumulative potential:

No information available.

Mobility in soil:

No information available.

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as Class 9 Miscellaneous Dangerous Goods (UN 3077 or UN 3082, Environmentally Hazardous Substance) by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in packagings, IBC's, or any other receptacle not exceeding 500 kg(L).



UN No: 3082
Transport Hazard Class: 9 Miscellaneous Dangerous Goods
Packing Group: III
Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GLYPHOSATE-POTASSIUM AND GLYPHOSATE-MONOETHANOLAMINE)
Hazchem or Emergency Action Code: - 3Z

Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No: 3082
Transport Hazard Class: 9 Miscellaneous Dangerous Goods
Packing Group: III
Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GLYPHOSATE-POTASSIUM AND GLYPHOSATE-MONOETHANOLAMINE)

IMDG EMS Fire: F-A
IMDG EMS Spill: S-F

Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No: 3082
Transport Hazard Class: 9 Miscellaneous Dangerous Goods
Packing Group: III
Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GLYPHOSATE-POTASSIUM AND GLYPHOSATE-MONOETHANOLAMINE)

15. REGULATORY INFORMATION

Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Carcinogenicity - Category 2

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Acute Aquatic Toxicity - Category 2

Chronic Aquatic Toxicity - Category 2

Hazard Statement(s):

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

Poisons Schedule (SUSMP): S5 Caution.

This product is registered in Australia by the Australian Pesticides & Veterinary Medicines Authority (APVMA); APVMA Number 88261.

16. OTHER INFORMATION

References:

Supplier Safety Data Sheet; 02/ 2018.

® KELPIE is a registered trademark of Sinochem International Crop Care (Overseas) Pty Ltd.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

Reason(s) for Issue:

First Issue Primary SDS

Acronyms:

CAS number: Chemical Abstracts Service Registry Number

UN Number: United Nations Number

NOS: Not otherwise specified

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons

Hazchem or Emergency Action Code: Set of numbers and letters that provide information to emergency services especially firefighters

Disclaimer of Liability

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.